

WHAT IS CLAIMED IS:

1. A method for transmitting data to selected remote  
computing devices, comprising the steps of:  
5 transmitting data from an information source to a central  
broadcast server;  
preprocessing said data at said central broadcast server;  
transmitting preprocessed data to remote receivers  
communicating with said computing devices; and  
10 instantaneously notifying said computing devices of  
receipt of said preprocessed data whether said computing  
devices are on or off.

2. The method claimed in claim 1, wherein said step of  
transmitting preprocessed data to remote receivers  
communicating with said computing devices, further comprises  
the step of:  
5 wirelessly transmitting said preprocessed data to remote  
receivers.

3. The method claimed in claim 2, wherein said step of  
wirelessly transmitting said preprocessed data to remote  
receivers further comprises the step of:  
transmitting said preprocessed data utilizing a paging  
5 network.

4. The method claimed in claim 2, wherein said step of  
wirelessly transmitting said preprocessed data to remote  
receivers further comprises the step of:  
transmitting said preprocessed data utilizing a Vertical  
5 Blanking Interval.

5. The method claimed in claim 2, wherein said step of  
wirelessly transmitting said preprocessed data to remote  
receivers further comprises the step of:

00788613-012497

transmitting said preprocessed data utilizing a satellite  
5 system.

6. The method claimed in claim 1, wherein said step of  
transmitting preprocessed data to remote receivers  
communicating with said computing devices, further comprises  
the step of:

5 transmitting said preprocessed data to remote receivers  
by wired transmission.

7. The method claimed in claim 1, wherein said step of  
preprocessing data at said central broadcast server, further  
comprises the step of:

5 attaching to said preprocessed data an Internet address  
location of said preprocessed data for providing to said user  
an automatic connection back to said information source for  
obtaining further information related to said preprocessed  
data.

8. The method claimed in claim 7, wherein said Internet  
address location is a Uniform Resource Locator.

9. The method claimed in claim 7, wherein said step of  
attaching to said preprocessed data an Internet address  
location of said preprocessed data for providing to said user  
an automatic connection back to said information source for  
5 obtaining further information related to said preprocessed  
data, further comprises the step of:

providing an automatic connection back to said  
information source through an user activating a single  
function on said computing device.

~~9. The method claimed in claim 8, wherein said single  
function comprises a single click on said computing device.~~

10. The method claimed in claim 7, wherein said connection back to said information source for obtaining further information related to said preprocessed data is an automated wired connection.

11. The method claimed in claim 7, wherein said connection back to said information source for obtaining further information related to said preprocessed data is an automated wireless connection.

12. The method claimed in claim 7, wherein said step of attaching to said preprocessed data an Internet address location of said preprocessed data for providing to said user an automatic connection back to said information source for obtaining further information related to said preprocessed data, further comprises the steps of:

determining at said central broadcast server said Internet address location from said information source;

attaching said Internet address location to said preprocessed data;

transmitting said Internet address location with said preprocessed data to said computing device;

extracting said Internet address location from said preprocessed data at said computing device; and

displaying said Internet address location with said preprocessed data to said user such that said user can with a single click on said Internet address location obtain additional information from said information source.

13. The method claimed in claim 12, wherein said step of displaying said Internet address location to said user such that said user can with a single click on said Internet address location obtain additional information from said information source, further comprises the step of:

launching an Internet browser and passing said Internet

address location to said browser for automatic connection back to said information source.

- 5 14. The method claimed in claim 1, wherein said step of instantaneously notifying said computing devices of receipt of said preprocessed data whether said computing devices are on or off, further comprises the step of:

providing alert means which when activated allows display of data.

15. The method claimed in claim 14, wherein said alert means comprises a visual alert.

16. The method claimed in claim 14, wherein said alert means comprises an audio alert.

17. The method claimed in claim 1, wherein said step of instantaneously notifying said computing devices of receipt of said preprocessed data whether said computing devices are on or off, further comprises the step of:

- 5 providing a dockable user interface alert panel on a display communicating with computing device for providing alerts to said user, wherein said alert panel is dockable on top of other applications.

18. The method claimed in claim 17, wherein said step of providing a dockable user interface alert panel on a display communicating with computing device for providing alerts to said user, further comprises the step of:

- 5 displaying fly-in graphics and icon buttons to alert said user that new data has been received by said computing device.

19. The method claimed in claim 17, wherein said alerts reflect type of information present at computing device.

20. The method claimed in claim 1, wherein said step of preprocessing said data at said central broadcast server further comprises the step of:

deriving redundant data packets for transmission to said user.

21. The method claimed in claim 20, wherein said step of deriving redundant data packets for transmission to said user further comprises the steps of:

parceling a data block into at least one incoming message;

parceling said messages into k information packets;

selecting a number of parity-check packets p;

encoding column-wise with a modified Reed-Solomon code in accordance with:

$$g(x) = \prod_{i=1}^P (x + a^i)$$

for generating said parity-check packets; and

parceling said data packets into code words for transmission to said user.

22. The method claimed in claim 21, wherein said data packets include information packets and parity-check packets.

23. The method claimed in claim 21, wherein said step of deriving redundant data packets for transmission to said user further comprises the steps of:

performing error correction and detection on said code words after said data packets have been parceled.

24. The method claimed in claim 21, further comprising the step of:

assembling a data block from said code words.

25. The method claimed in claim 24, wherein said step of assembling a data block from said code words further comprises the step of:

5        counting the number of code words which have errors;  
      determining whether each packet has any errors;  
      saving packets without error;  
      discarding packets with at least one error; and  
      assembling a message when the required number of packets has been received.

26. The method claimed in claim 1, wherein said step of preprocessing said data at said central broadcast server further comprises the step of:

5        combining Huffman compression and the dictionary-based compression based algorithms.

27. The method claimed in claim 26, wherein said step of combining Huffman compression and the dictionary-based compression based algorithms further comprises the steps of:

5        scanning input texts;  
      searching for next item previously seen text;  
      searching for next item in a static Huffman dictionary;  
      choosing said search method which produces a better result for compression.

28. The method claimed in claim 27, further comprising the step of:

      decompressing said compressed data.

29. The method claimed in claim 1, wherein said step of preprocessing said data at said central broadcast server further comprises the step of:

5        utilizing a differencing algorithm for compressing said coded data, thereby significantly reducing the number of bytes sent with each transmission.

30. The method claimed in claim 1, wherein said step of preprocessing data at said central broadcast server, further comprises the step of:

processing data in accordance with feed type from said information source.

31. The method claimed in claim 30, wherein said feed type comprises binary type feeds.

32. The method claimed in claim 30, wherein said feed type comprises common user information type feeds.

33. The method claimed in claim 30, wherein said feed type comprises feeds for modifying registry keys which control processing of data.

34. The method claimed in claim 32, wherein said step of processing data in accordance with feed type from said information source, further comprises the step of:

using tags to differentiate types of information.

35. The method claimed in claim 1, wherein said step of instantaneously notifying said computing devices of receipt of said preprocessed data whether said computing devices are on or off, further comprises the step of:

instantaneously alerting said user to personal alerts through the use of sound, graphics, bit maps or video, wherein said user can instantaneously access information.

36. The method claimed in claim 1, wherein said step of preprocessing data at said central broadcast server, further comprises the step of:

encoding said data with information relating to message parameters for filtering.

37. The method claimed in claim 1, wherein said step of instantaneously notifying said computing devices of receipt of said preprocessed data whether said computing devices are on or off, further comprises the steps of:

5 monitoring said transmissions utilizing multiple viewers;  
filtering said transmitted preprocessed data;  
post processing said preprocessed data; and  
notifying said user instantaneously of receipt of  
filtered postprocessed data.

38. The method claimed in claim 37, wherein said step of filtering said transmitted preprocessed data further comprises the step of:

5 filtering said transmitted preprocessed data in  
accordance with preferences set by said user.

39. The method claimed in claim 38, wherein said step of filtering said transmitted preprocessed data in accordance with preferences set by said user, further comprises the step of:

5 setting said preferences with respect to sound, video and  
animation.

40. The method claimed in claim 37, wherein said step of filtering said transmitted preprocessed data further comprises the step of:

5 filtering said preprocessed data in accordance with  
virtual addresses.

41. The method claimed in claim 37, wherein said step of filtering said transmitted preprocessed data further comprises the step of:

5 filtering said preprocessed data in accordance with  
physical addresses.

00738613-012497



42. The method claimed in claim 37, further comprising the step of:

controlling said viewers from said central broadcast server.

43. The method claimed in claim 37, further comprising the step of:

activating said preprocessed data at a scheduled time.

44. The method claimed in claim 1, further comprising the step of:

modifying said preprocessed data instantaneously and wirelessly.

45. The method claimed in claim 40, wherein said step of modifying said preprocessed data instantaneously and wirelessly, further comprises the step of:

activating services wirelessly through activation codes which enable or disable services.

46. The method claimed in claim 38, wherein said step of controlling said viewers from said central broadcast server, further comprises the step of:

adding viewers from said central broadcast server.

47. The method claimed in claim 42, wherein said step of controlling said viewers from said central broadcast server, further comprises the step of:

removing viewers from said central broadcast server.

48. The method claimed in claim 37, wherein said step of postprocessing said preprocessed data, further comprises the step of:

recombining, decoding and decompressing said preprocessed data.

49. The method claimed in claim 1, wherein said information source may be an Internet access provider providing data feeds.

50. The method claimed in claim 1, wherein said information source may be an on-line service provider providing data feeds.

Sub A' 51. The method claimed in claim 1, wherein said step of preprocessing said data at said central broadcast server, further comprises the step of:

5 providing data to servers in said central broadcast server;

parsing said data with parsers corresponding to said servers;

transmitting said data to said content manager for determining how data is handled;

10 transmitting said data from said content manager to said information gateway for building data blocks and assigning addresses to said data block; and

15 transmitting said data blocks from said information gateway to said transmission gateway for preparing said data block for transmission to said receivers.

2 52. The method claimed in claim 51, wherein said step of transmitting said data from said content manager to said information gateway for building data blocks and assigning addresses to said data block, further comprises the step of:

5 building data blocks and assigning addresses to said data block based on information in a subscriber database.

Sub A' B' 53. The method claimed in claim 54, further comprising the step of:

utilizing a remote control interface for controlling said viewers.

76  
54. The method claimed in claim 53<sup>76</sup>, wherein said step of utilizing a remote control interface for controlling said viewers further comprises the step of:

5 launching said remote control interface through a user interface alert panel.

77  
55. The method claimed in claim 54<sup>76</sup>, further comprising the step of:

storing entries in a viewer server connected to said viewer; and

5 providing filtering means for filtering particular types of messages a viewer can look at.

56. The method claimed in claim 1, further comprising the step of:

displaying contextual graphics on said computing device to show data in a predefined format.

57. The method claimed in claim 56, wherein said predefined format is a scoreboard.

58. The method claimed in claim 1, wherein said step of preprocessing data at said central broadcast server, further comprises the step of:

5 attaching to said preprocessed data an Internet address location of said preprocessed data for providing to said user a message that causes a process or transaction on said computing device to occur.

59. The method claimed in claim 7, wherein said Internet address is a proprietary on-line addressing scheme.

60. The method claimed in claim 2, wherein said step of wirelessly transmitting said preprocessed data to remote receivers further comprises the step of:

transmitting said preprocessed data utilizing a FM  
subcarrier, digital, analog, cellular, GSM or PCS carrier.

61. The method claimed in claim 1, wherein said step of preprocessing said data at said central broadcast server, further comprises the step of:

sending said data on groups of pooled capcodes.

62. The method claimed in claim 61, wherein said step of sending said data on groups of pooled capcodes, further comprises the step of:

multiplexing data over multiple capcodes to be reassembled at said user as if data were sent over a single capcode.

63. The method claimed in claim 1, wherein said step of preprocessing said data at said central broadcast server, further comprises the step of:

assigning data packets to a group of capcodes;

transmitting said data over a paging network using said group of capcodes;

receiving packets at said user on said group of capcodes;

combining said packets from group of capcodes into one data message.

64. A system for transmitting data to selected remote computing devices, comprising:

means for transmitting data from an information source to a central broadcast server;

means for preprocessing said data at said central broadcast server;

means for transmitting preprocessed data to remote receivers communicating with said computing devices; and

means for instantaneously notifying said computing devices of receipt of said preprocessed data whether said

computing devices are on or off.

65. The system claimed in claim 64, wherein said means for transmitting preprocessed data to remote receivers communicating with said computing devices, further comprises:

means for wirelessly transmitting said preprocessed data to remote receivers.

66. The system claimed in claim 65, wherein said means for wirelessly transmitting said preprocessed data to remote receivers further comprises:

means for transmitting said preprocessed data utilizing a paging network.

67. The system claimed in claim 65, wherein said means for wirelessly transmitting said preprocessed data to remote receivers further comprises:

means for transmitting said preprocessed data utilizing a Vertical Blanking Interval.

68. The system claimed in claim 65, wherein said means for wirelessly transmitting said preprocessed data to remote receivers further comprises:

means for transmitting said preprocessed data utilizing a satellite system.

69. The system claimed in claim 64, wherein said means for transmitting preprocessed data to remote receivers communicating with said computing devices, further comprises:

means for transmitting said preprocessed data to remote receivers by wired transmission.

70. The system claimed in claim 64, wherein said means for preprocessing data at said central broadcast server, further comprises:

08788613-012497

means for attaching to said preprocessed data an Internet address location of said preprocessed data for providing to said user an automatic connection back to said information source for obtaining further information related to said preprocessed data.

71. The system claimed in claim 70, wherein said Internet address location is a Uniform Resource Locator.

72. The system claimed in claim 70, wherein said means for attaching to said preprocessed data an Internet address location of said preprocessed data for providing to said user an automatic connection back to said information source for obtaining further information related to said preprocessed data, further comprises:

means for providing an automatic connection back to said information source through an user activating a single function on said computing device.

73. The system claimed in claim 72, wherein said single function comprises a single click on said computing device.

74. The system claimed in claim 70, wherein said connection back to said information source for obtaining further information related to said preprocessed data is an automated wired connection.

75. The system claimed in claim 70, wherein said connection back to said information source for obtaining further information related to said preprocessed data is an automated wireless connection.

76. The system claimed in claim 70, wherein said means for attaching to said preprocessed data an Internet address location of said preprocessed data for providing to said user

an automatic connection back to said information source for  
5 obtaining further information related to said preprocessed  
data, further comprises:

means for determining at said central broadcast server  
said Internet address location from said information source;

10 means for attaching said Internet address location to  
said preprocessed data;

means for transmitting said Internet address location  
with said preprocessed data to said computing device;

means for extracting said Internet address location from  
said preprocessed data at said computing device; and

15 means for displaying said Internet address location with  
said preprocessed data to said user such that said user can  
with a single click on said Internet address location obtain  
additional information from said information source.

77. The system claimed in claim 76, wherein said means for  
displaying said Internet address location to said user such  
that said user can with a single click on said Internet  
address location obtain additional information from said  
5 information source, further comprises:

means for launching an Internet browser and passing said  
Internet address location to said browser for automatic  
connection back to said information source.

78. The system claimed in claim 64, wherein said means for  
instantaneously notifying said computing devices of receipt of  
said preprocessed data whether said computing devices are on  
or off, further comprises:

5 alert means which when activated allows display of data.

79. The system claimed in claim 64, wherein said means for  
preprocessing said data at said central broadcast server,  
further comprises:

means for sending said data on groups of pooled capcodes.

08788613-012497